

Application No. 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

AMENDMENTS TO THE CLAIMS

1. (currently amended) A distributed method for performing network monitoring, comprising:

obtaining, by an infrastructure management appliance, customer specific information from a remote data center over a first interface to said infrastructure management appliance;

establishing, by an ~~said~~ infrastructure management appliance, a secure virtual connection with a ~~said~~ remote data center, the infrastructure management appliance being connected to a customer network, the remote data center being connected to a public network, the customer network being connectable to the public network,

wherein said establishing of said secure virtual connection with said remote data center is responsive to said customer specific information obtained from said remote data center over the first interface to said infrastructure management appliance, and

wherein the establishing step includes establishing the secure virtual connection with the remote data center over the public network over a second interface to said infrastructure management appliance;

BEST AVAILABLE COPY

Application No. 10/010,915  
Filed: December 7, 2001  
TC Art Unit: 2144  
Confirmation No.: 6110

monitoring, by said infrastructure management appliance, at least one customer resource, the customer resource being connected to the customer network, wherein the monitoring step includes monitoring the customer resource over the customer network; and

transmitting information obtained through said monitoring of said customer resource to said remote data center over said secure virtual connection.

2. (original) The method of claim 1, wherein said establishing said secure virtual connection with said remote data center comprises establishing a virtual private network with said remote data center.

3. (canceled)

4. (canceled)

5. (original) The method of claim 4, wherein said monitoring of said at least one customer resource is performed over said second interface to said infrastructure management appliance.

Application No. 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

6. (original) The method of claim 4, wherein said obtaining of said customer specific information over said first interface to said infrastructure management appliance comprises obtaining said customer specific information through dial up access over a serial line to said data center.

7. (original) The method of claim 4, wherein said obtaining of said customer specific information further comprises obtaining an network address of said infrastructure management appliance from said remote data center.

8. (original) The method of claim 7, wherein said obtaining of said network address of said infrastructure management appliance comprising obtaining an Internet Protocol (IP) address from said remote data center.

9. (original) The method of claim 4, wherein said monitoring of said at least one customer resource comprises periodically polling of a server system to determine whether said server system is in an operational state.

- 4 -

WEINGARTEN, SOURGIN,  
GAGNEPAIN & LESOVICI LLP  
TEL. (617) 542-2290  
FAX. (617) 451-0313

Application No. 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

10. (original) The method of claim 4, wherein said monitoring of said at least one customer resource comprises generating a synthetic transaction with respect to at least one customer application, and storing a result obtained from said customer application in response to said synthetic transaction.

11. (original) The method of claim 4, further comprising:  
discovering at least one customer operational environment attribute; and

configuring said first interface to said infrastructure management appliance in response to said at least one customer operational environment attribute.

12. (original) The method of claim 11, wherein said at least one customer operational environment comprises a dial-out prefix.

13. (currently amended) An infrastructure management appliance, comprising:

a first communication interface;

a second communication interface;

at least one processor;

Application No. 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

at least one memory, said memory operable to store program code executable on said at least one processor, wherein said program code includes:

program code for obtaining customer specific information from a remote data center over said first communication interface;

program code for establishing, responsive to said customer specific information, a secure virtual connection with a said remote data center, the infrastructure management appliance being connectable to a customer network, the remote data center being connected to a public network, the customer network being connectable to the public network, wherein the program code for establishing a secure virtual connection is operable to establish the secure virtual connection with the remote data center over the public network over said second communication interface;

program code for monitoring at least one customer resource, the customer resource being connected to the customer network, wherein the program code for monitoring at least one customer resource is operable to monitor the customer resource over the customer network; and

program code for transmitting information obtained through said monitoring of said customer resource to said remote data center over said secure virtual connection.

Application No. 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

14. (original) The infrastructure management appliance of claim 13, wherein said program code for establishing said secure virtual connection with said remote data center comprises program code for establishing a virtual private network with said remote data center.

15. (canceled)

16. (canceled)

17. (original) The infrastructure management appliance of claim 16, wherein said program code for monitoring said at least one customer resource monitors said at least one customer resource over said second communication interface.

18. (original) The infrastructure management appliance of claim 16, wherein said program code for obtaining said customer specific information obtains said customer specific information over said first communication interface, and wherein said first communication interface provides dial up access over a serial line to said remote data center.

-7-

WEINGARTEN, SCHURGIN,  
CARMERIN & LESOVICI LLP  
TEL. (617) 542-2290  
FAX. (617) 451-0313

Application No. 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

19. (original) The infrastructure management appliance of claim 16, wherein said program code for obtaining said customer specific information further comprises program code for obtaining a network address of said infrastructure management appliance from said remote data center.

20. (original) The infrastructure management appliance of claim 19, wherein said program code for obtaining said network address of said infrastructure management appliance comprises program code for obtaining an Internet Protocol (IP) address from said remote data center.

21. (currently amended) The infrastructure network management appliance of claim 16, wherein said program code for monitoring of said at least one customer resource comprises program code for periodically polling a server system to determine whether said server system is in an operational state.

22. (original) The infrastructure management appliance of claim 16, wherein said program code for monitoring said at least one customer resource comprises program code for generating a

Application No. 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

synthetic transaction with respect to at least one customer application, and program code for storing a result obtained from said customer application in response to said synthetic transaction.

23. (original) The infrastructure management appliance of claim 16, further comprising:

program code for discovering at least one customer operational environment attribute; and

program code for configuring said first communication interface in response to said at least one customer operational environment attribute.

24. (original) The infrastructure management appliance of claim 23, wherein said at least one customer operational environment attribute comprises a dial-out prefix.

25. (currently amended) A distributed system for performing network monitoring, comprising:

a public network;

a remote data center connected to said public network;

a customer network connectable to said public network;



Application No. 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

an infrastructure management appliance connected to said customer network, said infrastructure management appliance having a first communication interface and a second communication interface;

means for obtaining, by said infrastructure management appliance, customer specific information from said remote data center over said first communication interface to said infrastructure management appliance;

means for establishing, by said infrastructure management appliance, a secure virtual connection with the remote data center over the public network over said second communication interface to said infrastructure management appliance,

wherein said means for establishing said secure virtual connection with said remote data center is responsive to said customer specific information obtained from said remote data center over said first communication interface to said infrastructure management appliance;

means for monitoring, by said infrastructure management appliance, at least one customer resource, said at least one customer resource being connected to the customer network, wherein said means for monitoring the at least one customer resource is

Application No. 10/010,915

Filed: December 7, 2001

TC Art Unit: 2144

Confirmation No.: 6110

operable to monitor the customer resource over the customer network; and

means for transmitting information obtained through said monitoring of said customer resource to said remote data center over said secure virtual connection.

-11-

WEINGARTEN, SCHURCIN,  
CAGNIBIN & LEDOVICI LLP  
TEL. (617) 542-2290  
FAX. (617) 451-0313

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**